

First Aid Compliance

Guy's Construction
123 Main Street, Anytown, CA 90210

Ontology-Backed Safety Document
CA T8 1512

Effective Date: June 08, 2026

SAMPLE DOCUMENT - NOT FOR COMPLIANCE USE

JURISDICTION AND REGULATORY FRAMEWORK

STATE-SPECIFIC: California has the following requirements:

- each jobsite

CA T8 1512

- General Industry Safety orders, Section 3400
- first aid kit at every construction site, checked weekly

T8 CCR 1512

- first aid kit at every construction site, checked weekly

T8 CCR 1512

- delayed or absent first aid response leading to worsened injury outcomes
- that the position of the outriggers is correct in accordance with manufacturer's procedures before beginning operations requiring outrigger deployment
- a distance sufficient to prevent a person from reaching behind the guard and becoming caught between the belt and the pulley
- as close as practicable under the walking/working surface on which bridge workers are working, but shall not be installed more than 30 feet below such surface
- if they may be contacted by persons and may cause injury to persons
- those set forth at § 1910.1003
- Medical Personnel Consultation
- First Aid Kit
- First Aid Certified Person
- Emergency Medical Plan
- Eye Wash Facilities
- by vacuuming or other methods that minimize the likelihood of lead becoming airborne wherever possible
- uncertainties in any reported results (including tool tolerance) as part of that analysis
- an operator has adequate information to determine that a condition presenting a potential threat to the integrity of the pipeline exists
- and provide an expected date when adequate information will become available if the operator believes that 180 days are impracticable
- the use of reclaimed water in oil and gas operations
- posting telephone numbers of physician, hospitals, ambulance services, and fire-protection services near the job telephone
- posting telephone numbers of physician, hospitals, ambulance services, and fire-protection services near job telephone
- a written plan to provide emergency medical services
- one written plan
- requirement for separate written plans
- in-house capability to investigate incidents
- in writing to the Mine Safety and Health Administration, Certification and Qualification Center, P.O. Box 25367, Denver Federal Center, Denver, Colo. 80225

- a nonrepeat device
- a CG-7 pressure relief valve
- tool inspection and service record
- at work sites
- training, physician oversight, SOP for EMS activation, and equipment maintenance
- AED available
- an AED
- standby person CPR/AED trained
- fiberboard box (4G) or fiber drum (1G) with plastic inner packaging not exceeding 5 kg (11 lbs) and maximum net mass not more than 25 kg (55 lbs)
- the overall status of implementation of the provisions of this Part relating to the identification, inventory, and removal of underwater obstructions
- third physician to conduct examinations, consultations, laboratory tests and discussions with prior physicians as necessary to resolve disagreement
- a diagrammatic sketch of the mechanical installation along with a detailed explanation of the flow, procedures and frequency of well tests, calibration/proving of metering devices and allocation formulas
- a list of interested parties (those with interests in the leases and/or units from which production is to be commingled for which the applicant has no existing commingling authority)

Monday Safety — Sample Document

FEDERAL OSHA REQUIREMENTS

- when no medical facility near worksite: person with valid first aid certificate on site, first aid supplies approved by physician, emergency phone numbers posted

29 CFR 1926.50(c)-(f)

- easily accessible when required
- easily accessible
- each employee must be able to reach a person with first aid training within 4 minutes of injury; first aid kits per 1910.266(d)(2)

29 CFR 1910.266(d)(1)

- readily available

29 CFR 1910.151(b)

- First Aid Certified Person

1926.50(c)

- Emergency Medical Plan

1926.50(b)

- medical services and first aid as required in § 1926.50

29 CFR 1926.951(a)

- medical services
- first aid services and provisions for medical care for every employee covered by these regulations

29 CFR 1926.23

- first aid services and medical care for every employee

29 CFR 1926.23

- training, physician oversight, SOP for EMS activation, and equipment maintenance

Monday Safety — Sample Document

COMPANY PROCEDURES

Guy's Construction implements the following procedures for first aid compliance:

- Guy's Construction shall: when no medical facility near worksite: person with valid first aid certificate on site, first aid supplies approved by physician, emergency phone numbers posted

29 CFR 1926.50(c)-(f)

- Guy's Construction shall: easily accessible when required
- Guy's Construction shall: easily accessible
- Guy's Construction shall: each employee must be able to reach a person with first aid training within 4 minutes of injury; first aid kits per 1910.266(d)(2)

29 CFR 1910.266(d)(1)

- Guy's Construction shall: readily available

29 CFR 1910.151(b)

TRAINING REQUIREMENTS

- All employees involved in this scope of work must receive initial training before beginning work
- Refresher training when procedures change or deficiencies are observed
- Training must be documented with date, topic, trainer, and attendees

RECORDKEEPING

- Training records: duration of employment
- Inspection/monitoring records: project duration + 3 years
- Incident reports: 5 years

Monday Safety — Sample Document

California STATE-SPECIFIC REQUIREMENTS (FULL)

- each jobsite

CA T8 1512

- General Industry Safety orders, Section 3400
- first aid kit at every construction site, checked weekly

T8 CCR 1512

- first aid kit at every construction site, checked weekly

T8 CCR 1512

- delayed or absent first aid response leading to worsened injury outcomes
- that the position of the outriggers is correct in accordance with manufacturer's procedures before beginning operations requiring outrigger deployment
- a distance sufficient to prevent a person from reaching behind the guard and becoming caught between the belt and the pulley
- as close as practicable under the walking/working surface on which bridge workers are working, but shall not be installed more than 30 feet below such surface
- if they may be contacted by persons and may cause injury to persons
- those set forth at § 1910.1003
- Medical Personnel Consultation
- First Aid Kit
- First Aid Certified Person
- Emergency Medical Plan
- Eye Wash Facilities
- by vacuuming or other methods that minimize the likelihood of lead becoming airborne wherever possible
- uncertainties in any reported results (including tool tolerance) as part of that analysis
- an operator has adequate information to determine that a condition presenting a potential threat to the integrity of the pipeline exists
- and provide an expected date when adequate information will become available if the operator believes that 180 days are impracticable
- the use of reclaimed water in oil and gas operations
- posting telephone numbers of physician, hospitals, ambulance services, and fire-protection services near the job telephone
- posting telephone numbers of physician, hospitals, ambulance services, and fire-protection services near job telephone
- a written plan to provide emergency medical services
- one written plan
- requirement for separate written plans
- in-house capability to investigate incidents
- in writing to the Mine Safety and Health Administration, Certification and Qualification Center, P.O. Box 25367, Denver Federal Center, Denver, Colo. 80225
- a nonrepeat device
- a CG-7 pressure relief valve

- tool inspection and service record
- at work sites
- training, physician oversight, SOP for EMS activation, and equipment maintenance
- AED available
- an AED
- standby person CPR/AED trained
- fiberboard box (4G) or fiber drum (1G) with plastic inner packaging not exceeding 5 kg (11 lbs) and maximum net mass not more than 25 kg (55 lbs)
- the overall status of implementation of the provisions of this Part relating to the identification, inventory, and removal of underwater obstructions
- third physician to conduct examinations, consultations, laboratory tests and discussions with prior physicians as necessary to resolve disagreement
- a diagrammatic sketch of the mechanical installation along with a detailed explanation of the flow, procedures and frequency of well tests, calibration/proving of metering devices and allocation formulas
- a list of interested parties (those with interests in the leases and/or units from which production is to be commingled for which the applicant has no existing commingling authority)

Monday Safety — Sample Document#