

Hot Work Permit

Guy's Construction
123 Main Street, Anytown, CA 90210

Ontology-Backed Safety Document

Effective Date: June 08, 2026

SAMPLE DOCUMENT - NOT FOR COMPLIANCE USE

JURISDICTION AND REGULATORY FRAMEWORK

STATE-SPECIFIC: California has the following requirements:

- any additional permits such as for hot work that have been issued to authorize work in the permit space
- a permit from the commission authorizing the disposal
- proceeding with any work unless the planking and metal decking or nets required by this article are in place
- advance notification to all Regional Notification Centers and known owners at least 2 working days prior
- lighting stringers do not overload branch circuits
- cadmium fumes and airborne particulates
- cadmium fumes and airborne cadmium
- the criteria in paragraph (m)(1) through (m)(6)
- the design of the system, equipment, and components, including equipment reliability and the necessary functions to be performed, in both a normal operation and in a degraded or failed state
- a tourist, scenic, historic, or excursion train operation conducted only on track used exclusively for that purpose (i.e., there is no freight, intercity passenger, or commuter passenger railroad operation on the track)
- Subpart J - Fire prevention
- Subpart J - Welding and Cutting

1926.352

- 29 CFR 1926.352
- 29 CFR 1926.352
- as free as practicable of accumulations of lead
- on the advice of the physician
- by vacuuming or other methods that minimize the likelihood of lead becoming airborne wherever possible
- in accordance with paragraph (n)(9) of this section
- all relevant information about a pipeline in complying with the requirements in paragraphs (a) through (g) of this section
- the use of reclaimed water in oil and gas operations
- fire prevention plan for construction sites

T8 CCR 1920-1938

- combustible material unless fire prevention precautions are taken
- fire during construction
- daily clearing of combustible debris and fire watch inspection 30 minutes after completion of work
- fire or explosion
- a clear passageway unobstructed by fixed hoist equipment located in, or on top of, the car
- 99 percent by weight
- 16 inches on any one side
- Section 5207, Appendix F
- 400 square inches

FEDERAL OSHA REQUIREMENTS

- written permit authorizing welding/cutting/brazing, issued by employer's designated authority, area inspected for fire hazards, fire watch assigned

29 CFR 1910.252(a)(2)(i), 1926.352(e)

- written hot work permit for welding, cutting, brazing within 35 feet of combustibles; fire watch for 30 minutes after completion

29 CFR 1926.352

- hot work permit for all hot work on or near a covered process per 1910.252(a) fire prevention requirements

29 CFR 1910.119(k)

- hot work permit listed on entry permit

29 CFR 1926.1206(p)

- a permit from the commission authorizing the disposal
- fire watch per 1926.352(e)

29 CFR 1926.800(i)(5)

- provisions for establishing a fire watch

29 CFR 1910.252(a)

- Fire watch maintained for minimum 30 minutes after hot work completion. Fire watch personnel must have: fire extinguishing equipment immediately available, training in fire watch duties, authority to stop hot work if unsafe conditions develop.

29 CFR 1915.504

- fire watch maintained for minimum 30 minutes after hot work completion; competent person or marine chemist determination required before hot work on or near vessels

29 CFR 1915.14 / 1915.504

Monday Safety — Sample Document

COMPANY PROCEDURES

Guy's Construction implements the following procedures for hot work permit:

- Guy's Construction shall: written permit authorizing welding/cutting/brazing, issued by employer's designated authority, area inspected for fire hazards, fire watch assigned

29 CFR 1910.252(a)(2)(i), 1926.352(e)

- Guy's Construction shall: written hot work permit for welding, cutting, brazing within 35 feet of combustibles; fire watch for 30 minutes after completion

29 CFR 1926.352

- Guy's Construction shall: hot work permit for all hot work on or near a covered process per 1910.252(a) fire prevention requirements

29 CFR 1910.119(k)

- Guy's Construction shall: Hot Work Permit

1926.1206(p)

- Guy's Construction shall: hot work permit listed on entry permit

29 CFR 1926.1206(p)

TRAINING REQUIREMENTS

- All employees involved in this scope of work must receive initial training before beginning work
- Refresher training when procedures change or deficiencies are observed
- Training must be documented with date, topic, trainer, and attendees

RECORDKEEPING

- Training records: duration of employment
- Inspection/monitoring records: project duration + 3 years
- Incident reports: 5 years

California STATE-SPECIFIC REQUIREMENTS (FULL)

- any additional permits such as for hot work that have been issued to authorize work in the permit space
- a permit from the commission authorizing the disposal
- proceeding with any work unless the planking and metal decking or nets required by this article are in place
- advance notification to all Regional Notification Centers and known owners at least 2 working days prior
- lighting stringers do not overload branch circuits
- cadmium fumes and airborne particulates
- cadmium fumes and airborne cadmium
- the criteria in paragraph (m)(1) through (m)(6)
- the design of the system, equipment, and components, including equipment reliability and the necessary functions to be performed, in both a normal operation and in a degraded or failed state
- a tourist, scenic, historic, or excursion train operation conducted only on track used exclusively for that purpose (i.e., there is no freight, intercity passenger, or commuter passenger railroad operation on the track)
- Subpart J - Fire prevention
- Subpart J - Welding and Cutting

1926.352

- 29 CFR 1926.352
- 29 CFR 1926.352
- as free as practicable of accumulations of lead
- on the advice of the physician
- by vacuuming or other methods that minimize the likelihood of lead becoming airborne wherever possible
- in accordance with paragraph (n)(9) of this section
- all relevant information about a pipeline in complying with the requirements in paragraphs (a) through (g) of this section
- the use of reclaimed water in oil and gas operations
- fire prevention plan for construction sites

T8 CCR 1920-1938

- combustible material unless fire prevention precautions are taken
- fire during construction
- daily clearing of combustible debris and fire watch inspection 30 minutes after completion of work
- fire or explosion
- a clear passageway unobstructed by fixed hoist equipment located in, or on top of, the car
- 99 percent by weight
- 16 inches on any one side
- Section 5207, Appendix F
- 400 square inches